

NEX GEN LED LIGHTS AND SIGN
+1 817-800-2132
12450 East Fwy Suite 100, Houston,
TX 77015, United States



High Lumen transmission Cover ★

White paint finish ★

Easy installation ★

Best replacement for fluorescent ceiling lamp ★

5 years warranty ★

ETL/cETL/ES listed ★



surface mount installation

1. Connect the wire.
2. Fix the bottom plate on the J-box.
3. Rotate and Secure the cover.



Cover

High Quality PMMA Material

High Transmittance

UV Protection For Outdoor Light Up

Ordinary Working Mode

11" /20W



Perfect LED Mounting

Uniform Light Distribution

Black dots and shadow on the light, un-uniform lighting,
which are the headache in the LED panel field.

LED Light
Strip






- ★ SMT technology, ensuring accurate positions for LEDs on FPCB
- ★ Good quality LGP and diffuser plate
- ★ Stable design for the whole structure

Above ensures uniform lighting, no black dots and shadow.

POLAR CURVES WIDE DISTRIBUTION

Light Distribution Curve







Carton Dimensions:


INNER BOX

Box Dimensions:
18W <240x230x47mm>




CARTON

Carton Dimensions:



↓ 20 pcs




L 502mm
W 263mm
H 484mm

CONTAINER


Container Dimensions:

20GP (20ft x 8ft x 8.6ft)



18W <no pallet 8400pcs>
<with pallet 6400pcs>

40HQ (40ft x 8ft x 9.6ft)



18W <no pallet 18000pcs>
<with pallet 16000pcs>