

LED BATTEN LIGHTS---FASHION FLAT LED LINEAR LAMP



FEATURES

- AC 110V/220V Input Directly
- No Lamp Fixture Demand, Clamp Installation
- No Need Change Any Circuit,Save Labor Costs.
- Combine With Panel Light's High-Grade Appearance and Tube's Cost-Effective Price!
- LM-80 SMD Only
- Surface Mount,Dry Place Only.


APPLICATIONS

Ceiling Mount-Office,School,Workshop,Cabinet And So On!



PARAMETERS


IMENSION	WATT	LUMEN
2FT(600mm)	20W	120LM/Watt;2400LM
3FT(900mm)	30W	120LM/Watt;3600LM
LED	INPUT VOLTAGE	POWER FACTOR
	AC100-277V	>0.95
COLOR TEMPERATURE	CRI	MATERIAL
4000K/5000K	>85Ra	Aluminum body+ PC cover






NEX GEN LED LIGHTS AND SIGN
+1 817-800-2132
12450 East Fwy Suite 100, Houston,
TX 77015, United States

PHOTOMETRIC TEST REPORT

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



C0 PLANE ISOLUX DIAGRAM (UNIT: lx)



ACCESSORIES




- A: Stainless Steel Clip
- B: Screw
- C: Screw Reinforcement Device

NEX GEN LED LIGHTS AND SIGN
+1 817-800-2132
12450 East Fwy Suite 100, Houston,
TX 77015, United States

INSTALLATION

Note: Turn Off The Power Before Installation Please!

1) Surface Installation



Step 1: Corresponding Installation Position, Set a Suitable Clip Position.

Step 2: Use Screw To Fix The Clip.

Step 3: Press The Lamp To The Clip.

2) Hanging



Step 1: Fix The Screw On The Ceiling Wall For Pendant Rope

Step 2: Clamp Clip This Lamp

Step 3: Fix Clips And Pendant Rope Together

NEX GEN LED LIGHTS AND SIGN
+1 817-800-2132
12450 East Fwy Suite 100, Houston,
TX 77015, United States